

**Subject:** Your Records Request has been processed PRR:EL-00005

**Date:** Thursday, December 29, 2022 at 6:08:47 PM Eastern Standard Time

**From:** Public Records Request - DHW

**To:** AO Records

EXTERNAL SENDER

Dear Emma Lewis ,

Your public records request received on 12/13/2022 has been processed. The files are accessible to you at <https://idhw.sharepoint.com/:f:/s/PublicRecordsRequests/EqkIOMnYV9Et7Aq76jHW4oBBSdIN1yu66xns-yDaYU9wg?email=records%40americanoversight.org&e=9P8S5Y>. You will be prompted to send a verification code to the email address on file with the department. Be sure to check your spam folder if the validation code does not appear in your inbox. This link will expire in 7 days. Please download your records within that time frame.

You may contact Administrative Procedures using the information below if you have any questions.

Sincerely,

Public Records  
Idaho Department of Health and Welfare  
P.O. Box 83720 Boise, ID 83720-0036  
[publicrecordsrequest@dhw.idaho.gov](mailto:publicrecordsrequest@dhw.idaho.gov)  
Phone (208) 334-5564  
Fax (208) 639-5742

NOTICE: THIS ELECTRONIC MESSAGE TRANSMISSION CONTAINS INFORMATION WHICH MAY BE CONFIDENTIAL OR PRIVILEGED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL(S) OR ENTITY(IES) NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, PLEASE BE AWARE THAT ANY DISCLOSURE, COPYING, DISTRIBUTION, OR USE OF THE CONTENTS OF THIS INFORMATION IS PROHIBITED. IF YOU HAVE RECEIVED THIS ELECTRONIC TRANSMISSION IN ERROR, PLEASE IMMEDIATELY NOTIFY THE SENDER AND DELETE THE COPY YOU RECEIVED.

# Idaho Abortion Complication Reporting Summary 2021 Reports

Bureau of Vital Records and Health Statistics  
Division of Public Health  
Idaho Department of Health and Welfare  
Published September 2022

## Purpose

The Abortion Complications Reporting Act, Title 39, Chapter 95 Idaho Code requires the State to collect information on complications resulting from abortions; and compile statistical reports based on the information in the reports.

The Abortion Complications Reporting Act:

<https://legislature.idaho.gov/statutesrules/idstat/Title39/T39CH95/>

Complication data in this report are based on complications defined in Idaho Code Section 39-9503. Note that the requirements as outlined in 39-9504(1) do not limit provider responsibility to limit reporting to complications resulting from abortions which occurred in the state. This report is based on 39 abortion complications reports dated in 2021. The abortion procedures may have occurred in 2021 or prior to 2021.

## Summary of Patient Information

<u>State of Residence</u>	<u>Number</u>	<u>Percent</u>
Idaho	38	97%
Utah	1	3%
Total	39	
<u>County of Residence</u>		
Ada	20	51%
Canyon	10	23%
Elmore	1	3%
Gem	1	3%
Minidoka	1	3%
Owyhee	2	5%
Payette	1	3%
Twin Falls	1	3%
Washington	1	3%
Non-resident	1	3%
Total	39	
<u>Age Group</u>		
Under 15	0	0%
15-17	0	0%
18-19	1	3%
20-24	13	33%
25-29	16	41%
30-34	3	8%
35+	6	15%
Unknown	0	0%
Total	39	
<u>Ethnicity</u>		
Non-Hispanic	27	69%
Hispanic	9	23%
Unknown	3	8%
Total	39	

### Summary of Patient Information (Continued)

<u>Race</u>	<u>Number</u>	<u>Percent</u>
White	31	79%
Black	0	0%
American Indian or Alaskan Native	0	0%
Asian or Pacific Islander	1	3%
Other or Multiple	2	5%
Unknown	5	13%
Total	39	

<u>Previous Pregnancies</u>		
None	18	46%
1	5	13%
2	8	21%
3	2	5%
4	4	10%
5	2	5%
6 or more	0	0%
Unknown	0	0%
Total	39	

Previous pregnancies may include miscarriage(s); therefore, the number of previous live births plus the number of previous abortions may not sum to the number of previous pregnancies.

<u>Previous Live Births</u>		
None	19	49%
1	6	15%
2	9	23%
3	3	8%
4	1	3%
5	1	3%
6 or more	0	0%
Unknown	0	0%
Total	39	

<u>Previous Abortions</u>		
None	33	85%
1	2	5%
2	4	10%
3	0	0%
4 or more	0	0%
Unknown	0	0%
Total	39	

### Summary of Abortion Procedure Information

<u>Trimester of Abortion</u>		
First	37	95%
Second	2	5%
Third	0	0%
Unknown	0	0%
Total	39	

### Summary of Abortion Procedure Information (Continued)

<u>Weeks of Gestation</u>	<u>Number</u>	<u>Percent</u>
Less than 6	2	5%
6-8	24	62%
9-10	11	28%
11-12	0	0%
13-14	0	0%
15-20	2	5%
21 or More	0	0%
Unknown	0	0%
Total	39	

<u>Method Used</u>		
Suction curettage	7	18%
Medical (nonsurgical)	30	77%
Dilation and Evacuation (D&E)	2	5%
Intra-Uterine Instillation	0	0%
Sharp curettage	0	0%
Hysterotomy/Hysterectomy	0	0%
Other	0	0%
Unknown	0	0%
Total	39	

<u>Was post-abortion follow-up visit scheduled or required by abortion provider?</u>		
Yes	36	92%
No	3	8%
Unknown	0	0%
Not applicable	0	0%
Total	39	

<u>If yes, did the patient attend?</u>		
Yes	35	97%
No, refused	0	0%
No, failed to attend	1	3%
Unknown/Blank	0	0%
Not applicable	0	0%
Total	36	

<u>Was there any follow-up care, surgery, or aspiration procedure because of incomplete abortion or retained tissue?</u>		
Yes	35	90%
If yes, describe:		
Aspiration/Re-aspiration due to/for continuing viable pregnancy	8	NA
D&C/Aspiration/Re-aspiration for retained products	26	NA
Treated with mifepristone and misoprostol	1	NA
Unknown/Blank	4	10%
Not applicable	0	0%
Total	39	

## Complications Information

<u>Complication (Select all that apply)</u>	<u>Number</u>	<u>Percent</u>
A fever of 100.4 degrees or higher	0	0%
Adverse or allergic reaction to anesthesia or other drugs	0	0%
Any psychological or emotional condition reported by the patient, such as depression, suicidal ideation, anxiety or sleeping disorder	0	0%
Blood clots	0	0%
Blood transfusion	0	0%
Cardiac arrest	0	0%
Cervical perforation or injury to the cervix	0	0%
Coma	0	0%
Death	0	0%
Embolism	0	0%
Endometritis	0	0%
Failure to actually terminate the pregnancy	16	41%
Free fluid in the abdomen	0	0%
Heavy or excessive bleeding	0	0%
Hemolytic reaction due to the administration of ABO-incompatible blood or blood products	0	0%
Hemorrhage	3	8%
Hypoglycemia where onset occurs while the patient is being cared for in the abortion facility	0	0%
Inability, refusal or unwillingness to have a follow-up visit	0	0%
Inability, refusal or unwillingness to have follow-up care, surgery, or an aspiration procedure following an incomplete abortion or retained tissue	0	0%
Incomplete abortion or retained tissue	21	54%
Infection	0	0%
Injury or damage to any organ inside the body	0	0%
Metabolic disorder	0	0%
Missed ectopic pregnancy	0	0%
Pain or cramps that do not improve with medication	1	3%
Pelvic inflammatory disease	0	0%
Physical injury associated with care received in the abortion facility	0	0%
Placenta previa or preterm delivery in subsequent pregnancies	0	0%
Referral to or care provided by a hospital; emergency department or urgent care clinic or department	0	0%
Renal failure	0	0%
Respiratory arrest	0	0%
Shock	0	0%
Subsequent development of breast cancer	0	0%
The need for follow-up care, surgery, or an aspiration procedure for incomplete abortion or retained tissue	0	0%
Uterine perforation or injury to the uterus	0	0%
Weakness, nausea, vomiting or diarrhea that lasts for more than 24 hours	0	0%
Any other adverse event as defined by the federal Food and Drug Administration criteria provided in the MedWatch reporting system	0	0%
Unknown	0	0%
 <u>Physical location of the complication</u>		
Not applicable	39	100%
Not stated	0	0%
Total	39	

### Complications Information (Continued)

<u>Note any pre-existing conditions that would have complicated the pregnancy or abortion</u>	<u>Number</u>	<u>Percent</u>
Not applicable / None reported	39	100%
Total	39	

### Complication Referral and Treatment Information

<u>Was patient referred to a hospital emergency department, or urgent care clinic or department for treatment for any complication listed above</u>		
Yes	6	15%
No	33	85%
Unknown	0	0%
Not applicable	0	0%
Total	39	

<u>Did the woman receive treatment from any other medical practitioner for the specific complication</u>		
Yes	4	10%
No	33	85%
Unknown/Blank	2	5%
Not applicable	0	0%
Total	39	

Note: percentages may not sum to 100% due to rounding.

### Complication by Method of Procedure

Complication*	Method of Procedure								Total
	Suction curettage	Medical	Dilation and Evacuation	Intra-uterine instillation	Sharp curettage	Hysterotomy or Hysterectomy	Other	Unknown	
Failure to actually terminate the pregnancy	2	14	-	-	-	-	-	-	16
Hemorrhage	1	1	1	-	-	-	-	-	3
Incomplete abortion or retained tissue	4	16	1	-	-	-	-	-	21
Pain or cramps that do not improve with medication	-	-	1	-	-	-	-	-	1
Unknown/Not Stated	-	-	-	-	-	-	-	-	-
Total complications	7	31	3	-	-	-	-	-	41

\*There may be one or more than one complication per procedure.



# IDAHO VITAL STATISTICS

Induced Abortion 2021

Bureau of Vital Records and Health Statistics  
Division of Public Health  
September 2022

## 2021 VITAL STATISTICS – INDUCED ABORTION

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at [healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov). Go to About DHW, select Reports and Statistics, then scroll to Vital Records and Health Statistics and select Idaho Vital Statistics annual reports.
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics - Induced Abortion 2021*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, September 2022.

# TABLE OF CONTENTS

	Page
<b>INDUCED ABORTION DEFINITIONS AND FORMULAS</b> .....	4
<b>VITAL REGISTRATION AND DATA COLLECTION</b> .....	4
<b>INDUCED ABORTION</b> .....	5
<b>INDUCED ABORTION BY MONTH OF PROCEDURE (Occurring and Resident)</b> .....	6
<b>INDUCED ABORTION OCCURRING IN IDAHO</b>	
2011-2021 Induced abortions in Idaho ( <i>Idaho, districts, counties</i> ) .....	7
2021 Induced abortions in Idaho: place of occurrence by patient’s residence .....	8
2011-2021 Induced abortions in Idaho: patient’s demographic characteristics .....	9
2011-2021 Induced abortions in Idaho: patient’s demographic characteristics (percentage) .....	10
2011-2021 Induced abortions in Idaho: length of gestation and termination procedure .....	11
2021 Induced abortions in Idaho: age of patient by length of gestation .....	12
2021 Induced abortions in Idaho: age of patient by previous abortions and live births .....	12
2021 Induced abortions in Idaho: termination procedure by length of gestation .....	13
2021 Induced abortions in Idaho: age of patient by marital status .....	14
2021 Induced abortions in Idaho: previous abortions and living children .....	14
2021 Induced abortions in Idaho: patient educational materials provided .....	15
2021 Induced abortions in Idaho: informed consent for teens aged under 18 .....	15
<b>INDUCED ABORTION OCCURRING TO IDAHO RESIDENTS</b>	
2011-2021 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) .....	16
2011-2021 Induced abortions to Idaho residents ( <i>Idaho, districts, counties</i> ) (rates) .....	17
2021 Induced abortions to Idaho residents: place of residence by place of occurrence .....	18
2021 Induced abortions to Idaho residents: rates and age ( <i>Idaho, districts, counties</i> ) .....	19
2021 Induced abortions to Idaho residents: ratio, race and ethnicity ( <i>Idaho, districts, counties</i> ) ....	20
2011-2021 Induced abortions to Idaho residents: age, rate, and ratio .....	21
2021 Induced abortions to Idaho residents: termination procedure by length of gestation .....	22
2021 Induced abortions to Idaho residents: length of gestation (graph) .....	22
2011-2021 Induced abortions to Idaho residents by state of occurrence .....	23
Counties comprising Idaho Public Health Districts .....	24
<b>INDUCED ABORTION TECHNICAL NOTES</b> .....	25

## DEFINITIONS AND FORMULAS

**Residence Data** Data allocated by place of residence of the registrant

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

**Occurrence Data** Data allocated by place where event occurred, regardless of the person's place of residence

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

**Induced Abortion** A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

## VITAL REGISTRATION AND DATA COLLECTION

**Registration of Records**

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

**Induced Abortion**

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was September 14, 2022 for 2021 records.

## INDUCED ABORTION


**U.S.** In 2019, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 629,898 legal abortions were reported to the CDC by the 49 reporting areas in 2019. In 2019, the U.S. abortion ratio was 195 abortions per 1,000 live births in the reporting area.<sup>1</sup>

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S. 2019 <sup>1</sup>	629,898	195	11.4
Idaho 2021 (Occurrence)	1,553	NA	NA
Idaho 2021 (Residence)	1,985	88.5	5.4

**Abortion in Idaho** The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2021 was 1,553 which was a 7.6 percent decrease from 1,680 reported in Idaho in 2020. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,553 procedures performed in Idaho, 1,454 (93.6 percent) were to residents of Idaho and 99 (6.4 percent) were to non-residents).


**Idaho Resident Abortion** Abortions to Idaho residents decreased 1.1 percent from 2,007 in 2020 to 1,985 in 2021. Abortions to Idaho residents may occur in Idaho or out of state. In 2021, 1,454 abortions to Idaho residents occurred in Idaho, and 531 were performed out of state. Of the 531 abortions obtained out of state, 407 occurred in Washington, 63 in Utah, 28 in Montana, 29 in Oregon, and 4 in other states.

### IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 2012-2021




1. "Abortion Surveillance – United States, 2019", Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol 70/No. 9, November 26, 2021.

**IDAHO INDUCED ABORTIONS**  
**Abortions in Idaho by Month of Procedure**  
**2021**



**IDAHO INDUCED ABORTIONS**  
**Abortions Among Idaho Residents by Month of Procedure**  
**2021**



**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence**  
**2011-2021**

OCCURRENCE	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
<b>TOTAL IN IDAHO</b>	<b>1,440</b>	<b>1,458</b>	<b>1,375</b>	<b>1,353</b>	<b>1,272</b>	<b>1,289</b>	<b>1,285</b>	<b>1,257</b>	<b>1,513</b>	<b>1,680</b>	<b>1,553</b>
District 1	-	-	1	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	1,240	1,200	1,106	1,090	1,068	1,047	1,027	1,061	1,261	1,393	1,261
District 5	199	258	267	263	203	242	258	196	252	287	291
District 6	-	-	-	-	-	-	-	-	-	-	-
District 7	1	-	1	-	1	-	-	-	-	-	1
Ada	1,240	1,200	1,106	1,089	1,068	1,047	1,024	1,057	1,252	1,381	1,259
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	-	-	-	-	-	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	1	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	1	-	1	-	1	-	-	-	-	-	1
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	199	258	267	263	203	242	258	196	252	287	291
Valley	-	-	-	1	-	-	3	4	9	12	2
Washington	-	-	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**District and County of Occurrence by Place of Residence**  
**2021**

OCCURRENCE	ABORTIONS OCCURRING IN IDAHO		
	Abortion in Idaho, District and County of Occurrence, Total	Resident of Idaho	Resident of Other State or Unknown
IDAHO	1,553	1,454	99
District 1	-	-	-
District 2	-	-	-
District 3	-	-	-
District 4	1,261	1,181	80
District 5	291	272	19
District 6	-	-	-
District 7	1	1	-
Ada	1,259	1,179	80
Adams	-	-	-
Bannock	-	-	-
Bear Lake	-	-	-
Benewah	-	-	-
Bingham	-	-	-
Blaine	-	-	-
Boise	-	-	-
Bonner	-	-	-
Bonneville	-	-	-
Boundary	-	-	-
Butte	-	-	-
Camas	-	-	-
Canyon	-	-	-
Caribou	-	-	-
Cassia	-	-	-
Clark	-	-	-
Clearwater	-	-	-
Custer	-	-	-
Elmore	-	-	-
Franklin	-	-	-
Fremont	-	-	-
Gem	-	-	-
Gooding	-	-	-
Idaho	-	-	-
Jefferson	-	-	-
Jerome	-	-	-
Kootenai	-	-	-
Latah	-	-	-
Lemhi	-	-	-
Lewis	-	-	-
Lincoln	-	-	-
Madison	1	1	-
Minidoka	-	-	-
Nez Perce	-	-	-
Oneida	-	-	-
Owyhee	-	-	-
Payette	-	-	-
Power	-	-	-
Shoshone	-	-	-
Teton	-	-	-
Twin Falls	291	272	19
Valley	2	2	-
Washington	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics**  
**2011-2021**

DEMOGRAPHIC CHARACTERISTICS	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
<b>TOTAL IN IDAHO</b>	<b>1,440</b>	<b>1,458</b>	<b>1,375</b>	<b>1,353</b>	<b>1,272</b>	<b>1,289</b>	<b>1,285</b>	<b>1,257</b>	<b>1,513</b>	<b>1,680</b>	<b>1,553</b>
Age:											
10-14	6	3	3	7	2	3	1	4	2	9	4
15-19	207	235	173	175	165	164	146	138	187	195	182
15-17	54	68	45	39	48	40	38	34	33	44	43
18-19	153	167	128	136	117	124	108	104	154	151	139
20-24	475	484	492	462	433	436	426	411	477	546	516
25-29	329	353	340	339	274	328	305	329	378	423	387
30-34	252	212	177	201	202	211	216	200	252	279	266
35-39	115	106	135	124	144	102	144	140	161	174	153
40-44	53	59	50	42	45	41	42	30	49	48	42
45+	2	5	5	3	7	3	5	4	6	6	3
Not stated	1	1	-	-	-	1	-	1	1	-	-
Idaho residence status:											
Resident	1,372	1,379	1,321	1,283	1,213	1,244	1,235	1,209	1,429	1,574	1,454
Non-resident	68	79	54	70	59	45	50	48	78	102	99
Not stated	-	-	-	-	-	-	-	-	6	4	-
Marital status:											
Married	226	197	225	223	231	228	227	229	302	349	301
Not married	1,209	1,257	1,143	1,103	997	965	909	874	1,094	1,258	1,242
Not stated	5	4	7	27	44	96	149	154	117	73	10
Previous induced abortions:											
None	1,007	1,049	1,014	937	932	933	958	956	1,228	1,339	1,141
1	317	251	251	292	252	252	217	201	209	250	302
2	75	69	64	87	59	79	69	64	44	66	78
3+	32	28	28	36	26	23	34	24	21	24	32
Not stated	9	61	18	1	3	2	7	12	11	1	-
Race											
White	1,244	1,260	1,178	1,150	1,041	1,054	998	1,048	1,199	1,447	1,332
Black	16	23	20	22	28	26	30	38	42	42	62
American Indian	9	12	22	15	11	24	20	18	28	24	26
Asian/Pacific Islander	42	45	38	41	27	44	42	30	40	45	49
Other	39	60	78	51	57	76	59	21	23	17	38
Race not stated	90	58	39	74	108	65	136	102	181	105	46
Ethnicity*											
Hispanic	195	222	202	209	184	245	252	235	346	369	438
Non-Hispanic	1,230	1,218	1,135	1,107	984	989	934	990	1,112	1,258	1,093
Ethnicity not stated	15	18	38	37	104	55	99	32	55	53	22

\*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Selected Demographic Characteristics (Percent)**  
**2011-2021**

DEMOGRAPHIC CHARACTERISTICS	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
<b>TOTAL IN IDAHO</b>	<b>1,440</b>	<b>1,458</b>	<b>1,375</b>	<b>1,353</b>	<b>1,272</b>	<b>1,289</b>	<b>1,285</b>	<b>1,257</b>	<b>1,513</b>	<b>1,680</b>	<b>1,553</b>
Age:											
10-14	0.4%	0.2%	0.2%	0.5%	0.2%	0.2%	0.1%	0.3%	0.1%	0.5%	0.3%
15-19	14.4	16.1	12.6	12.9	13.0	12.7	11.4	11.0	12.4	11.6	11.7
15-17	3.8	4.7	3.3	2.9	3.8	3.1	3.0	2.7	2.2	2.6	2.8
18-19	10.6	11.5	9.3	10.1	9.2	9.6	8.4	8.3	10.2	9.0	9.0
20-24	33.0	33.2	35.8	34.1	34.0	33.9	33.2	32.7	31.5	32.5	33.2
25-29	22.9	24.2	24.7	25.1	21.5	25.5	23.7	26.2	25.0	25.2	24.9
30-34	17.5	14.6	12.9	14.9	15.9	16.4	16.8	15.9	16.7	16.6	17.1
35-39	8.0	7.3	9.8	9.2	11.3	7.9	11.2	11.1	10.6	10.4	9.9
40-44	3.7	4.0	3.6	3.1	3.5	3.2	3.3	2.4	3.2	2.9	2.7
45+	0.1	0.3	0.4	0.2	0.6	0.2	0.4	0.3	0.4	0.4	0.2
Not stated	NA										
Idaho residence status:											
Resident	95.3%	94.6%	96.1%	94.8%	95.4%	96.5%	96.1%	96.2%	94.4%	93.7%	93.6%
Non-resident	4.7	5.4	3.9	5.2	4.6	3.5	3.9	3.8	5.2	6.1	6.4
Not stated	NA										
Marital status:											
Married	15.7%	13.5%	16.4%	16.8%	18.8%	19.1%	20.0%	20.8%	21.6%	21.7%	19.5%
Not married	84.3	86.5	83.6	83.2	81.2	80.9	80.0	79.2	78.4	78.3	80.5
Not stated	NA										
Previous induced abortions:											
None	70.4%	75.1%	74.7%	69.3%	73.4%	72.5%	75.0%	76.8%	81.8%	79.7%	73.5%
1	22.2	18.0	18.5	21.6	19.9	19.6	17.0	16.1	13.9	14.9	19.4
2	5.2	4.9	4.7	6.4	4.6	6.1	5.4	5.1	2.9	3.9	5.0
3+	2.2	2.0	2.1	2.7	2.0	1.8	2.7	1.9	1.4	1.4	2.1
Not stated	NA										
Race											
White	92.1%	90.0%	88.2%	89.9%	89.4%	86.1%	86.9%	90.7%	90.0%	91.9%	88.4%
Black	1.2	1.6	1.5	1.7	2.4	2.1	2.6	3.3	3.2	2.7	4.1
American Indian	0.7	0.9	1.6	1.2	0.9	2.0	1.7	1.6	2.1	1.5	1.7
Asian/Pacific Islander	3.1	3.2	2.8	3.2	2.3	3.6	3.7	2.6	3.0	2.9	3.3
Other	2.9	4.3	5.8	4.0	4.9	6.2	5.1	1.8	1.7	1.1	2.5
Race not stated	NA										
Ethnicity*											
Hispanic	13.7%	15.4%	15.1%	15.9%	15.8%	19.9%	21.2%	19.2%	23.7%	22.7%	28.6%
Non-Hispanic	86.3	84.6	84.9	84.1	84.2	80.1	78.8	80.8	76.3	77.3	71.4
Ethnicity not stated	NA										

\* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals  
 NA - not applicable.

Percent distributions are based on records with known data.

Percentages may not sum to 100 due to rounding.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Clinical Estimated Weeks of Gestation and Primary Termination Procedure**  
**2011-2021**

PROCEDURE CHARACTERISTICS	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
TOTAL IN IDAHO	1,440	1,458	1,375	1,353	1,272	1,289	1,285	1,257	1,513	1,680	1,553
Weeks of gestation											
Number <sup>1</sup>											
0-6	302	365	349	358	330	272	320	310	493	512	475
7-8	585	613	572	565	502	552	503	507	556	655	622
9-10	300	242	234	238	248	257	252	222	223	257	241
11-12	174	141	144	115	104	108	112	124	121	101	98
13-15	69	86	64	67	80	97	89	84	101	125	93
16-20	6	10	9	6	8	1	4	8	4	21	12
21-24	2	1	3	1	-	-	1	-	2	4	2
25+	-	-	-	-	-	1	-	-	-	-	-
Not stated	2	-	-	3	-	1	4	2	13	5	10
Percent <sup>1</sup>											
0-6	21.0%	25.0%	25.4%	26.5%	25.9%	21.1%	25.0%	24.7%	32.9%	30.6%	30.8%
7-8	40.7	42.0	41.6	41.9	39.5	42.9	39.3	40.4	37.1	39.1	40.3
9-10	20.9	16.6	17.0	17.6	19.5	20.0	19.7	17.7	14.9	15.3	15.6
11-12	12.1	9.7	10.5	8.5	8.2	8.4	8.7	9.9	8.1	6.0	6.4
13-15	4.8	5.9	4.7	5.0	6.3	7.5	6.9	6.7	6.7	7.5	6.0
16-20	0.4	0.7	0.7	0.4	0.6	0.1	0.3	0.6	0.3	1.3	0.8
21-24	0.1	0.1	0.2	0.1	-	-	0.1	-	0.1	0.2	0.1
25+	-	-	-	-	-	0.1	-	-	-	-	-
Not stated	NA										
Termination procedure											
Number <sup>2</sup>											
Suction curettage	932	883	845	778	666	622	685	682	772	705	561
Sharp curettage (D&C)	2	2	3	1	-	-	-	-	4	2	-
Dilation and evacuation (D&E)	4	12	8	24	45	85	44	57	102	80	93
Intra-uterine instillation (saline or prostaglandin)	1	2	2	2	-	-	-	-	1	2	-
Medical (nonsurgical)	499	559	513	547	561	581	556	515	632	889	898
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	4	1	-	1	-	-	2	1	1
Not stated	-	-	-	-	-	-	-	3	-	1	-
Percent <sup>2</sup>											
Suction curettage	64.7%	60.6%	61.5%	57.5%	52.4%	48.3%	53.3%	54.4%	51.0%	42.0%	36.1%
Sharp curettage (D&C)	0.1	0.1	0.2	0.1	-	-	-	-	0.3	0.1	-
Dilation and evacuation (D&E)	0.3	0.8	0.6	1.8	3.5	6.6	3.4	4.5	6.7	4.8	6.0
Intra-uterine instillation (saline or prostaglandin)	0.1	0.1	0.1	0.1	-	-	-	-	0.1	0.1	-
Medical (nonsurgical)	34.7	38.3	37.3	40.4	44.1	45.1	43.3	41.1	41.8	52.9	57.8
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-	-	-	-
Other	0.1	-	0.3	0.1	-	0.1	-	-	0.1	0.1	0.1
Not stated	NA										

1. Gestation in weeks is based on the clinical estimated length of gestation. Data based on week's of gestation differ from data based on week's Postfertilization. The Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The clinical estimated length of gestation is approximately two weeks longer than the number of week's Postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

NA: not applicable.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Length of Gestation<sup>1</sup>**  
**2021**

AGE OF PATIENT	TOTAL IN IDAHO	WEEKS OF GESTATION								
		0-6	7-8	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL	1,553	475	622	241	98	93	12	2	-	10
<15	4	-	2	2	-	-	-	-	-	-
15-19	182	48	72	38	13	10	1	-	-	-
15-17	43	7	20	9	5	2	-	-	-	-
18-19	139	41	52	29	8	8	1	-	-	-
20-24	516	171	199	79	28	32	3	1	-	3
25-29	387	119	161	56	22	21	4	1	-	3
30-34	266	83	101	40	22	15	2	-	-	3
35-39	153	35	69	24	10	12	2	-	-	1
40-44	42	19	17	2	2	2	-	-	-	-
45+	3	-	1	-	1	1	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-

1. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Number of Previous Induced Abortions and Live Births**  
**2021**

AGE OF PATIENT	TOTAL IN IDAHO	NUMBER OF PREVIOUS ABORTIONS			
		None	1	2+	Not Stated
TOTAL	1,553	1,141	302	110	-
<15	4	2	2	-	-
15-19	182	164	15	3	-
15-17	43	43	-	-	-
18-19	139	121	15	3	-
20-24	516	408	90	18	-
25-29	387	290	70	27	-
30-34	266	156	76	34	-
35-39	153	92	37	24	-
40-44	42	26	12	4	-
45+	3	3	-	-	-
Not stated	-	-	-	-	-

NUMBER OF PREVIOUS LIVE BIRTHS				
None	1	2+	Not Stated	
756	328	469	-	
4	-	-	-	
162	16	4	-	
41	1	1	-	
121	15	3	-	
326	122	68	-	
162	87	138	-	
63	65	138	-	
36	29	88	-	
3	9	30	-	
-	-	3	-	
-	-	-	-	

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Primary Termination Procedure<sup>1</sup> by Length of Gestation<sup>2</sup>**  
**2021**

TERMINATION PROCEDURE <sup>1</sup>	TOTAL IN IDAHO	WEEKS OF GESTATION								
		0-6	7-8	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,553	475	622	241	98	93	12	2	-	10
Suction curettage	561	143	203	105	79	27	1	-	-	3
Sharp curettage	-	-	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	93	2	2	2	11	65	10	1	-	-
Intra-uterine saline/ prostaglandin instillation	-	-	-	-	-	-	-	-	-	-
Medical (non surgical)	898	330	417	134	8	-	1	1	-	7
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Age of Patient by Marital Status**  
**2021**

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,553	301	1,242	10
<15	4	-	4	-
15-19	182	2	180	-
15-17	43	-	43	-
18-19	139	2	137	-
20-24	516	52	459	5
25-29	387	90	294	3
30-34	266	76	189	1
35-39	153	61	91	1
40-44	42	18	24	-
45+	3	2	1	-
Not stated	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Number of Previous Induced Abortions and Living Children**  
**and Percentage of Abortions**  
**By Number of Previous Induced Abortions or Living Children**  
**2021**

	PREVIOUS INDUCED ABORTIONS		LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,553	100.0%	1,533	100.0%
None	1,141	73.5%	756	49.3%
1	302	19.4	328	21.4
2	78	5.0	268	17.5
3+	32	2.1	201	13.1
Not stated	-	NA	-	NA

Percentages are based on records with stated number of previous induced abortions or number of living children.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Patient Educational Materials Provided**  
**2011-2021**

YEAR	WERE PATIENT EDUCATIONAL MATERIALS PROVIDED?			
	Yes	No	Unknown	Total
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375
2014	1,351	-	2	1,353
2015	1,271	1	-	1,272
2016	1,285	1	3	1,289
2017	1,284	1	-	1,285
2018	1,254	-	3	1,257
2019	1,510	-	3	1,513
2020	1,677	-	3	1,680
2021	1,552	1	-	1,553

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**INDUCED ABORTIONS OCCURRING IN IDAHO**  
**Informed Consent, Aged Under 18\***  
**2021**

Total Abortions Aged <18	47
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	47
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	-
Written informed consent of court pursuant to order stating abortion in best interest of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent	-
Medical emergency	-
Unknown	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Number by District and County of Residence**  
**2011-2021**

RESIDENCE	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*
<b>TOTAL*</b>	<b>2,005</b>	<b>1,916</b>	<b>1,794</b>	<b>1,751</b>	<b>1,686</b>	<b>1,749</b>	<b>1,730</b>	<b>1,742</b>	<b>1,892</b>	<b>2,007</b>	<b>1,985</b>
District 1	268	264	229	242	252	226	241	279	233	255	275
District 2	160	90	102	109	106	95	115	118	113	90	100
District 3	312	319	305	276	270	276	284	290	319	379	407
District 4	794	794	718	692	689	702	665	684	767	822	738
District 5	222	230	218	254	188	211	216	201	263	253	252
District 6	153	132	128	98	101	144	117	85	97	103	103
District 7	96	87	94	80	80	95	92	85	100	103	108
Ada	735	729	668	649	640	656	603	636	720	776	700
Adams	2	3	4	2	5	3	3	3	2	2	-
Bannock	88	84	81	63	72	101	79	54	66	65	69
Bear Lake	2	1	3	-	-	1	2	1	-	-	1
Benewah	12	4	6	4	5	7	3	10	6	7	7
Bingham	46	33	31	22	15	22	22	17	20	26	19
Blaine	42	41	34	56	33	32	39	26	45	32	23
Boise	8	2	8	8	5	8	3	3	3	1	4
Bonner	38	40	33	29	32	40	34	45	39	47	51
Bonneville	65	60	68	59	58	67	60	61	63	68	74
Boundary	6	5	8	5	5	4	3	7	7	6	5
Butte	1	1	1	3	1	1	1	1	1	2	1
Camas	2	-	1	-	1	1	-	-	-	-	1
Canyon	271	264	253	234	217	230	232	236	266	319	330
Caribou	3	1	3	1	3	2	1	1	3	1	1
Cassia	17	14	16	23	10	13	13	19	22	35	22
Clark	-	-	-	-	-	1	1	1	-	2	1
Clearwater	7	3	6	5	7	3	4	10	5	3	6
Custer	1	2	5	2	4	4	1	2	4	-	1
Elmore	39	45	31	25	35	30	47	41	29	31	25
Franklin	1	6	4	3	2	6	6	5	3	7	4
Fremont	5	2	5	4	2	1	6	3	5	4	3
Gem	9	13	12	9	15	13	14	14	13	13	23
Gooding	13	8	10	12	9	9	15	12	22	15	22
Idaho	8	6	4	5	6	7	6	6	5	6	7
Jefferson	8	6	9	7	3	9	11	4	9	11	9
Jerome	26	24	21	28	21	22	17	21	30	34	34
Kootenai	192	195	163	184	197	166	190	206	171	183	201
Latah	64	43	57	54	50	38	52	53	48	39	45
Lemhi	5	11	2	3	2	3	6	5	6	4	4
Lewis	3	1	-	2	4	5	1	5	4	2	4
Lincoln	4	8	2	4	4	6	3	2	3	7	6
Madison	6	5	5	2	6	5	5	7	11	13	10
Minidoka	13	21	24	15	7	21	17	18	22	18	15
Nez Perce	78	37	35	43	39	42	52	44	51	40	38
Oneida	2	2	1	1	-	2	1	2	2	-	3
Owyhee	7	7	4	8	3	3	5	10	10	8	12
Payette	18	26	22	20	24	18	21	20	18	27	31
Power	10	4	4	5	8	9	5	4	2	2	5
Shoshone	20	20	19	20	13	9	11	11	10	12	11
Teton	6	1	-	3	5	5	2	2	2	1	6
Twin Falls	105	114	110	116	103	107	112	103	119	112	129
Valley	12	18	11	10	9	8	12	4	15	14	9
Washington	5	6	10	3	6	9	9	7	10	10	11

\*Total in 2020 and total in 2021 includes 2 abortions in which county and district of residence was unknown.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Abortion Rate by District and County of Residence**  
**2011-2021**

RESIDENCE	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
TOTAL	6.5	6.2	5.8	5.6	5.3	5.4	5.3	5.2	5.5	5.7	5.4
District 1	7.2	7.0	6.1	6.4	6.6	5.7	6.0	6.8	5.6	5.9	6.0
District 2	7.9	4.4	5.0	5.4	5.2	4.7	5.6	5.7	5.4	4.3	4.7
District 3	6.3	6.4	6.0	5.3	5.1	5.2	5.2	5.2	5.5	6.3	6.6
District 4	8.9	8.7	7.8	7.4	7.3	7.3	6.7	6.7	7.3	7.6	6.6
District 5	6.5	6.7	6.3	7.2	5.3	5.9	5.9	5.4	7.0	6.6	6.3
District 6	4.6	4.0	3.9	3.0	3.1	4.4	3.5	2.5	2.8	2.9	2.9
District 7	2.2	2.0	2.2	1.8	1.8	2.1	2.0	1.8	2.1	2.1	2.0
Ada	9.0	8.7	7.9	7.6	7.3	7.4	6.6	6.7	7.4	7.8	6.8
Adams	3.8	6.0	8.2	4.1	10.5	6.4	5.9	5.8	3.8	3.7	-
Bannock	4.9	4.7	4.6	3.6	4.1	5.8	4.5	3.0	3.6	3.5	3.7
Bear Lake	2.1	1.0	3.1	-	-	1.0	2.0	1.0	-	-	0.9
Benewah	8.8	2.9	4.5	3.0	3.7	5.3	2.2	7.4	4.4	5.0	4.7
Bingham	5.3	3.9	3.7	2.6	1.8	2.6	2.6	1.9	2.2	2.9	2.0
Blaine	11.5	11.5	9.6	15.5	9.3	8.9	11.0	7.1	11.8	8.2	5.6
Boise	8.6	2.2	8.9	8.8	5.1	8.3	3.1	2.9	2.8	0.9	3.5
Bonner	6.1	6.5	5.3	4.6	5.1	6.2	5.2	6.7	5.7	6.8	6.9
Bonneville	3.2	2.9	3.2	2.8	2.7	3.0	2.6	2.6	2.6	2.8	2.9
Boundary	3.6	3.0	4.8	2.9	2.8	2.1	1.6	3.8	3.7	3.1	2.5
Butte	2.4	2.5	2.6	7.4	2.5	2.6	2.7	2.6	2.5	4.8	2.3
Camas	10.8	-	6.0	-	5.9	6.1	-	-	-	-	5.8
Canyon	7.0	6.7	6.3	5.7	5.2	5.4	5.3	5.2	5.7	6.6	6.6
Caribou	2.7	0.9	2.7	0.9	2.7	1.8	0.9	0.8	2.4	0.8	0.8
Cassia	4.1	3.4	3.8	5.4	2.3	3.0	3.0	4.3	4.9	7.7	4.7
Clark	-	-	-	-	-	6.3	6.2	5.8	-	12.3	6.9
Clearwater	6.6	2.9	5.9	5.1	7.0	3.0	3.9	9.4	4.7	2.7	5.6
Custer	1.7	3.3	8.2	3.4	7.1	7.2	1.8	3.6	7.0	-	1.7
Elmore	7.2	8.4	5.9	4.8	6.9	5.9	9.0	7.7	5.5	5.8	4.5
Franklin	0.4	2.6	1.7	1.3	0.8	2.4	2.4	1.9	1.2	2.6	1.5
Fremont	2.2	0.9	2.2	1.8	0.9	0.5	2.6	1.3	2.2	1.7	1.2
Gem	3.4	5.0	4.6	3.5	5.8	4.8	5.1	4.9	4.5	4.3	7.2
Gooding	4.9	3.1	3.9	4.6	3.4	3.4	5.9	4.7	8.4	5.5	7.9
Idaho	3.7	2.8	1.9	2.4	2.9	3.3	2.9	2.9	2.4	2.8	3.2
Jefferson	1.6	1.2	1.8	1.4	0.6	1.7	2.0	0.7	1.6	1.9	1.4
Jerome	6.1	5.7	5.0	6.6	5.0	5.2	3.9	4.7	6.6	7.4	7.2
Kootenai	7.4	7.4	6.2	6.9	7.2	6.0	6.7	7.1	5.7	5.9	6.2
Latah	6.9	4.6	6.1	5.8	5.3	4.0	5.5	5.4	4.9	3.9	4.7
Lemhi	4.7	10.8	2.0	3.0	1.9	2.9	5.6	4.6	5.4	3.6	3.6
Lewis	5.7	1.9	-	3.9	7.7	9.4	1.9	9.5	7.2	3.6	7.1
Lincoln	4.2	8.2	2.0	4.0	3.9	5.9	2.9	2.0	2.9	6.8	5.9
Madison	0.5	0.4	0.5	0.2	0.5	0.5	0.5	0.6	1.0	1.1	0.7
Minidoka	3.7	6.0	6.7	4.2	1.9	5.7	4.6	4.8	5.8	4.6	3.7
Nez Perce	10.9	5.1	4.8	5.9	5.4	5.7	7.1	6.0	6.9	5.4	4.9
Oneida	3.1	3.1	1.5	1.5	-	2.9	1.4	2.8	2.8	-	3.9
Owyhee	3.5	3.5	2.0	4.1	1.5	1.5	2.5	5.0	4.9	3.7	5.4
Payette	4.4	6.4	5.5	5.0	6.0	4.5	5.2	4.9	4.3	6.3	6.8
Power	7.4	2.9	3.0	3.8	6.1	6.8	3.9	3.0	1.5	1.5	3.6
Shoshone	10.2	10.1	9.6	10.6	7.0	4.9	5.8	5.6	5.1	6.2	5.2
Teton	2.9	0.5	-	1.5	2.4	2.3	0.9	0.9	0.9	0.4	2.6
Twin Falls	7.0	7.5	7.1	7.4	6.4	6.6	6.7	6.1	6.9	6.4	7.0
Valley	8.5	12.7	7.9	7.1	6.2	5.4	7.9	2.5	9.0	7.9	4.9
Washington	3.2	3.8	6.5	1.9	4.0	6.0	6.0	4.6	6.6	6.4	6.5

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**District and County of Residence by State of Occurrence**  
**2021**

RESIDENCE	ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Total*	Abortion Occurring in Idaho	Abortion Occurring in Other State
IDAHO	1,985	1,454	531
District 1	275	-	275
District 2	100	2	98
District 3	407	391	16
District 4	738	693	45
District 5	252	234	18
District 6	103	64	39
District 7	108	68	40
Ada	700	659	41
Adams	-	-	-
Bannock	69	45	24
Bear Lake	1	-	1
Benewah	7	-	7
Bingham	19	13	6
Blaine	23	18	5
Boise	4	3	1
Bonner	51	-	51
Bonneville	74	52	22
Boundary	5	-	5
Butte	1	-	1
Camas	1	1	-
Canyon	330	316	14
Caribou	1	-	1
Cassia	22	21	1
Clark	1	1	-
Clearwater	6	-	6
Custer	1	1	-
Elmore	25	22	3
Franklin	4	-	4
Fremont	3	2	1
Gem	23	21	2
Gooding	22	20	2
Idaho	7	-	7
Jefferson	9	4	5
Jerome	34	32	2
Kootenai	201	-	201
Latah	45	1	44
Lemhi	4	-	4
Lewis	4	-	4
Lincoln	6	6	-
Madison	10	6	4
Minidoka	15	13	2
Nez Perce	38	1	37
Oneida	3	1	2
Owyhee	12	12	-
Payette	31	31	-
Power	5	5	-
Shoshone	11	-	11
Teton	6	2	4
Twin Falls	129	123	6
Valley	9	9	-
Washington	11	11	-

\*Total in 2021 includes 2 abortions in which county and district of residence was unknown (both in Idaho).

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Rates and Age of Patient by District and County of Residence**  
**2021**

RESIDENCE	TOTAL		AGE OF PATIENT									
	Number	Rate <sup>1</sup>	<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
				Total	15-17	18-19						
IDAHO*	1,985	5.4	7	226	58	168	629	508	351	199	61	4
District 1	275	6.0	2	34	10	24	69	70	57	29	14	-
District 2	100	4.7	-	12	2	10	37	20	19	8	4	-
District 3	407	6.6	4	42	13	29	142	104	65	43	6	1
District 4	738	6.6	1	71	16	55	228	193	136	84	24	1
District 5	252	6.3	-	44	9	35	76	66	43	16	6	1
District 6	103	2.9	-	8	4	4	36	29	16	12	2	-
District 7	108	2.0	-	15	4	11	39	26	15	7	5	1
Ada	700	6.8	1	64	15	49	214	184	131	81	24	1
Adams	-	-	-	-	-	-	-	-	-	-	-	-
Bannock	69	3.7	-	7	4	3	25	17	11	8	1	-
Bear Lake	1	0.9	-	1	-	1	-	-	-	-	-	-
Benewah	7	4.7	1	1	-	1	-	2	-	3	-	-
Bingham	19	2.0	-	-	-	-	7	7	4	1	-	-
Blaine	23	5.6	-	1	-	1	5	5	9	1	2	-
Boise	4	3.5	-	2	1	1	1	-	1	-	-	-
Bonner	51	6.9	-	6	4	2	14	14	8	4	5	-
Bonneville	74	2.9	-	8	1	7	24	22	12	4	4	-
Boundary	5	2.5	-	2	1	1	1	1	-	-	1	-
Butte	1	2.3	-	-	-	-	-	1	-	-	-	-
Camas	1	5.8	-	-	-	-	-	-	1	-	-	-
Canyon	330	6.6	4	32	8	24	117	86	50	37	4	-
Caribou	1	0.8	-	-	-	-	1	-	-	-	-	-
Cassia	22	4.7	-	-	-	-	8	9	3	1	-	1
Clark	1	6.9	-	-	-	-	1	-	-	-	-	-
Clearwater	6	5.6	-	1	-	1	1	2	1	1	-	-
Custer	1	1.7	-	-	-	-	1	-	-	-	-	-
Elmore	25	4.5	-	4	-	4	9	7	2	3	-	-
Franklin	4	1.5	-	-	-	-	-	2	-	2	-	-
Fremont	3	1.2	-	-	-	-	1	-	1	-	-	1
Gem	23	7.2	-	3	1	2	8	5	3	2	1	1
Gooding	22	7.9	-	3	-	3	5	5	6	3	-	-
Idaho	7	3.2	-	2	1	1	1	2	1	1	-	-
Jefferson	9	1.4	-	3	3	-	2	1	1	1	1	-
Jerome	34	7.2	-	12	3	9	11	5	5	1	-	-
Kootenai	201	6.2	1	25	5	20	52	49	47	20	7	-
Latah	45	4.7	-	4	-	4	14	11	11	4	1	-
Lemhi	4	3.6	-	-	-	-	3	1	-	-	-	-
Lewis	4	7.1	-	-	-	-	1	-	3	-	-	-
Lincoln	6	5.9	-	1	1	-	3	1	-	-	1	-
Madison	10	0.7	-	3	-	3	4	2	1	-	-	-
Minidoka	15	3.7	-	2	-	2	3	6	1	2	1	-
Nez Perce	38	4.9	-	5	1	4	20	5	3	2	3	-
Oneida	3	3.9	-	-	-	-	1	2	-	-	-	-
Owyhee	12	5.4	-	1	-	1	3	3	4	1	-	-
Payette	31	6.8	-	4	3	1	9	10	6	2	-	-
Power	5	3.6	-	-	-	-	2	-	1	1	1	-
Shoshone	11	5.2	-	-	-	-	2	4	2	2	1	-
Teton	6	2.6	-	1	-	1	3	-	-	2	-	-
Twin Falls	129	7.0	-	25	5	20	41	35	18	8	2	-
Valley	9	4.9	-	1	-	1	4	2	2	-	-	-
Washington	11	6.5	-	2	1	1	5	-	2	1	1	-

1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

\*Total in 2021 includes 2 abortions in which county and district of residence was unknown (both age group 20-24).

## INDUCED ABORTIONS TO IDAHO RESIDENTS

### Ratios and Race/Ethnicity of Patient by District and County of Residence, 2021

RESIDENCE	TOTAL ABORTIONS		RACE						ETHNICITY <sup>2</sup>		
	Number	Ratio <sup>1</sup>	White	Black	American Indian	Asian/ Pacific Islander	Other Race	Race Not Stated	Non-Hispanic	Hispanic	Ethnicity Not Stated
IDAHO*	1,985	88.5	1,695	59	33	53	44	101	1,061	414	510
District 1	275	101.7	257	1	5	5	3	4	5	-	270
District 2	100	88.2	81	-	4	3	2	10	3	1	96
District 3	407	100.0	352	12	4	11	9	19	233	154	20
District 4	738	130.0	607	35	13	28	10	45	569	112	57
District 5	252	94.2	216	7	1	2	13	13	130	105	17
District 6	103	43.2	85	2	5	3	3	5	55	18	30
District 7	108	28.5	97	2	1	1	4	3	66	23	19
Ada	700	137.8	576	34	13	27	10	40	539	109	52
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	69	62.6	56	2	4	3	1	3	44	6	19
Bear Lake	1	12.8	1	-	-	-	-	-	-	-	1
Benewah	7	87.5	4	-	3	-	-	-	-	-	7
Bingham	19	27.7	17	-	1	-	-	1	9	7	3
Blaine	23	112.2	18	1	-	-	1	3	9	9	5
Boise	4	61.5	4	-	-	-	-	-	3	-	1
Bonner	51	112.8	49	1	-	-	-	1	1	-	50
Bonneville	74	40.7	67	1	1	-	3	2	47	14	13
Boundary	5	34.2	5	-	-	-	-	-	-	-	5
Butte	1	28.6	1	-	-	-	-	-	-	-	1
Camas	1	76.9	1	-	-	-	-	-	1	-	-
Canyon	330	101.3	281	11	4	9	8	17	179	133	18
Caribou	1	11.5	-	-	-	-	1	-	-	1	-
Cassia	22	57.9	18	-	1	1	1	1	9	12	1
Clark	1	52.6	1	-	-	-	-	-	-	1	-
Clearwater	6	84.5	6	-	-	-	-	-	-	-	6
Custer	1	34.5	1	-	-	-	-	-	1	-	-
Elmore	25	55.4	19	1	-	1	-	4	18	3	4
Franklin	4	19.2	4	-	-	-	-	-	-	-	4
Fremont	3	17.5	3	-	-	-	-	-	2	1	-
Gem	23	117.9	22	1	-	-	-	-	18	3	2
Gooding	22	97.8	19	-	-	-	1	2	13	6	3
Idaho	7	41.9	6	-	-	-	-	1	-	-	7
Jefferson	9	21.0	8	-	-	-	1	-	4	3	2
Jerome	34	95.5	31	-	-	-	2	1	12	21	1
Kootenai	201	106.7	188	-	2	5	3	3	2	-	199
Latah	45	103.9	38	-	-	3	1	3	3	-	42
Lemhi	4	57.1	4	-	-	-	-	-	4	-	-
Lewis	4	121.2	4	-	-	-	-	-	-	-	4
Lincoln	6	100.0	4	-	-	-	1	1	2	4	-
Madison	10	8.9	8	1	-	1	-	-	6	2	2
Minidoka	15	48.9	14	-	-	-	1	-	6	7	2
Nez Perce	38	88.4	27	-	4	-	1	6	-	1	37
Oneida	3	43.5	3	-	-	-	-	-	1	-	2
Owyhee	12	74.1	11	-	-	-	-	1	7	5	-
Payette	31	92.8	28	-	-	2	-	1	21	10	-
Power	5	41.7	3	-	-	-	1	1	1	4	-
Shoshone	11	78.0	11	-	-	-	-	-	2	-	9
Teton	6	46.9	5	-	-	-	-	1	2	2	2
Twin Falls	129	114.3	111	6	-	1	6	5	78	46	5
Valley	9	108.4	8	-	-	-	-	1	9	-	-
Washington	11	117.0	10	-	-	-	1	-	8	3	-

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.

2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals.

\*Total in 2021 includes 2 abortions with unknown county and district (two race unknown, one Hispanic, and one ethnicity unknown).

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Age, Abortion Rate, and Abortion Ratio**  
**2011-2021**

AGE	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
TOTAL IDAHO RESIDENT	2,005	1,916	1,794	1,751	1,686	1,749	1,730	1,742	1,892	2,007	1,985
Age:											
10-14	6	8	4	7	4	4	3	7	4	9	7
15-19	328	314	224	233	215	219	211	202	241	238	226
15-17	97	102	62	56	71	62	57	64	59	56	58
18-19	231	212	162	177	144	157	154	138	182	182	168
20-24	649	621	620	572	567	594	543	555	571	644	629
25-29	450	457	445	439	387	431	426	456	479	499	508
30-34	331	290	245	270	260	292	299	278	315	350	351
35-39	159	139	179	159	185	150	190	194	207	198	199
40-44	76	74	66	62	58	51	51	44	68	61	61
45-49	3	7	7	7	9	6	6	5	7	8	4
Not stated	3	6	4	2	1	2	1	1	-	-	-
Abortion rate per 1,000 females in age group											
Total <sup>1</sup>	6.5	6.2	5.8	5.6	5.3	5.4	5.3	5.2	5.5	5.7	5.4
Age											
10-14	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1
15-19	5.7	5.7	4.0	4.2	3.8	3.8	3.6	3.3	3.9	3.8	3.4
15-17	2.9	3.0	1.8	1.6	2.0	1.7	1.5	1.7	1.6	1.4	1.4
18-19	9.8	9.7	7.5	8.2	6.5	7.2	6.9	5.9	7.7	7.7	6.9
20-24	12.0	11.2	11.4	10.7	10.7	11.2	10.1	10.2	10.3	11.3	10.6
25-29	8.7	8.9	8.6	8.2	7.1	7.8	7.5	7.9	8.1	8.5	8.5
30-34	6.4	5.6	4.6	5.1	4.9	5.4	5.5	5.0	5.5	5.9	5.6
35-39	3.4	2.9	3.7	3.2	3.6	2.8	3.4	3.4	3.5	3.3	3.2
40-44	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	1.3	1.1	1.0
45-49	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group											
Total <sup>2</sup>	89.9	83.5	80.3	76.5	73.8	77.9	78.1	81.4	85.7	93.2	88.5
Age:											
10-14	400.0	888.9	363.6	1,000.0	363.6	571.4	300.0	1,750.0	500.0	1,125.0	1,166.7
15-19	207.1	200.4	157.1	179.0	167.3	187.3	191.0	208.0	262.8	261.8	287.2
15-17	251.9	260.9	199.4	180.1	237.5	222.2	263.9	303.3	313.8	285.7	329.5
18-19	192.7	180.3	145.3	178.6	146.0	176.4	173.2	181.6	249.7	255.3	275.0
20-24	106.2	99.1	105.9	93.1	98.9	106.5	100.8	108.7	111.1	130.9	127.3
25-29	63.0	62.5	61.1	60.8	52.8	60.1	58.5	65.4	66.7	71.1	69.3
30-34	64.9	54.6	47.2	49.3	46.5	51.3	55.1	52.1	56.5	63.6	58.7
35-39	82.9	69.4	84.8	70.3	77.9	64.5	77.0	76.4	76.4	75.8	72.6
40-44	180.1	167.0	153.1	139.6	125.8	104.3	114.6	99.8	134.9	113.4	101.3
45-49	150.0	259.3	184.2	259.3	272.7	181.8	157.9	178.6	189.2	285.7	108.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for are based on July 1, 2011-July 1, 2021 population estimates from the U.S. Census Bureau and NCHS, Internet release dates July 2012, June 2013, June 2014, June 2015, June 2016, June 2017, June 2018, June 2019, June 2020, September 2021, and June 2022.


2. Total abortion ratio: Number of induced abortions per 1,000 live births.

NA: Not applicable.

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Primary Termination Procedure by Clinical Estimated Length of Gestation\***  
**2021**

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION								
		0-6	7-8	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	1,985	679	717	277	108	113	57	19	1	14
Suction curettage	649	175	219	112	90	33	8	7	-	5
Medical (nonsurgical)	1178	501	496	163	8	-	1	1	-	8
Dilation and evacuation (D&E)	149	2	2	2	10	79	44	9	-	1
Intra-uterine instillation (saline / prostaglandin)	-	-	-	-	-	-	-	-	-	-
Sharp curettage (D&C)	1	-	-	-	-	-	-	1	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-	-
Other	8	1	-	-	-	1	4	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**Clinical Estimated Length of Gestation**  
**2021**



Percentages are based on records with known data for length of gestation.


\* The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Abortions to Idaho residents may have occurred in Idaho or out of state.


**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2011-2021**

STATE OF OCCURRENCE	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
TOTAL IDAHO RESIDENT	2,005	1,916	1,794	1,751	1,686	1,749	1,730	1,742	1,892	2,007	1,985
Abortions in Idaho	1,372	1,379	1,321	1,283	1,213	1,244	1,235	1,209	1,429	1,574	1,454
Abortions out of state	633	537	473	468	473	505	495	533	463	433	531
Montana	36	48	28	18	21	13	16	20	24	14	28
Oregon	30	18	21	14	12	32	21	26	25	15	29
Utah	156	108	92	79	86	129	79	68	59	44	63
Washington	410	362	332	356	354	331	378	419	354	359	407
All other	1	1	-	1	-	-	1	-	1	1	4

**INDUCED ABORTIONS TO IDAHO RESIDENTS**  
**State of Occurrence**  
**2011-2021**



# Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Washington		Jerome	Caribou	Jefferson
		Payette		Lincoln	Franklin	Lemhi
		Washington		Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

## TECHNICAL NOTES

### Induced Abortion

#### Termination Procedure

The primary procedure that terminated this pregnancy.

#### Suction Curettage

(Also known as vacuum aspiration)-In this procedure the cervical canal is dilated by the successive insertion of instruments of increasing diameter (dilators). When the cervix is sufficiently dilated, a flexible tube (cannula) is inserted into the uterine cavity, and the fetal and placental tissues are then removed using an electric vacuum pump.

#### Medical (Nonsurgical)

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g. methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g. prostaglandin suppositories, injectable prostaglandins, etc.) may be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intravaginally.

#### Dilation and Evacuation (D&E)

This procedure, used most frequently in the second trimester of pregnancy (greater than or equal to 13 weeks' gestation) involves opening the cervix (dilation) and primarily using sharp instrument techniques, but also suction and other instrumentation such as forceps for evacuation.

#### Intrauterine Instillation (Saline or Prostaglandin)

This procedure involves either withdrawing a portion of the amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin – a substance with hormone-like activity- into the uterine cavity through a needle inserted through the abdominal wall (known as intrauterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

#### Sharp Curettage (D&C)

(Also known as dilation and curettage, D&C, or surgical curettage)-This procedure involves the dilation of the cervix as in the section curettage procedure, although usually to a larger diameter. The fetal and placental tissues are then removed with a sharp curette.

#### Hysterotomy/Hysterectomy

Hysterotomy involves surgical entry into the uterus to remove a fetus. Hysterotomy is usually performed only if other abortion procedures fail or if other abortion procedures are not appropriate. Hysterectomy is a procedure in which the uterus is removed (with the fetus inside). It is usually performed only when a pathological condition of the uterus, such as fibroid tumors, warrants its removal or when a woman desires sterilization.

Note there may be one or more procedure used to terminate the pregnancy.

**Complications of Termination**

Beginning in 2019, complications are no longer reported on the Induced Termination report filed with the Bureau of Vital Records and Health Statistics. Complications are reported on a separate Abortion Complications Report. Data from the Abortion Complications Report are based on the year the report is filed with Bureau of Vital Records and Health Statistics; the abortion may have occurred in the same year as the complication or the abortion may have occurred year(s) prior to the complication. For information regarding the Abortion Complications Reporting Act go to:

<https://legislature.idaho.gov/statutesrules/idstat/Title39/T39CH95/>

**Educational Materials**

Was the patient provided the education materials as specified in Idaho Code § 18-609(4)? Education materials include information on induced termination, fetal development, and services for women, infants, and children in Idaho.

**Clinical Estimate of Gestation**

The length of gestation as estimated by the attending physician in completed menstrual weeks. This estimate is not computed from the date last normal menses began and date of termination. Clinical estimate of gestation is used for the length of gestation.

**Pregnancy of Unknown Location (PUL)**

According to the National Library of Medicine, pregnancy of unknown location (PUL) is defined as the situation when the pregnancy test is positive but there are no signs of intrauterine pregnancy or an extrauterine pregnancy via transvaginal ultrasonography (ultrasound). For records in which “PUL” is reported for the clinical estimate of gestation, the length of gestation is entered as unknown for analysis.

**Postfertilization Age**

Age calculated from the date of fertilization of the human ovum. The termination record does not collect the date of fertilization. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The postfertilization age is calculated to by the number of completed weeks’ clinical estimate of gestation minus two weeks. For example, 20 weeks postfertilization is equal to 22 weeks’ clinical estimate of gestation.

**Method for Determining Gestational Age**

The method used by the attendant in determining the reported weeks of gestation.

**Ultrasound**

Weeks of gestation were determined by an ultrasound procedure

**Pelvic Exam**

Weeks of gestation were determined by a pelvic examination procedure

**Other, Specify**

Indicate what method/procedure/evidence the attendant used to determine the weeks of gestation

**None**

A clinical estimate of gestation was not performed.

**Race**

Patient's race is a write-in category for one race. If race is written as "Hispanic", "Mexican", or "Latina", the patient's race is categorized as "white". If race is written as "other", "mixed race", or "multi race" the patient's race is categorized as "other". Not all states collect race on their abortion record.

**Ethnicity**

Patient's ethnicity is reported separately from race on the induced termination record. Ethnicity is reported as a check box of yes or no for the question "Of Hispanic origin?". If checked "yes", Hispanic origin is specified as Cuban, Mexican, Puerto Rican. Not all states collect ethnicity on their abortion record.

Costs associated with this publication are available from  
Idaho Department of Health and Welfare.  
HW-1206      September 2022